

Kartell

PLASTICS
design Piero Lissoni

02



03



09



PLASTICS

COMPOSIZIONE / COMPOSITION / COMPOSITION / COMPOSICIÓN

66% PU, 34% COTONE / 66% PU, 34% COTTON / 66% PU, 34% COTON / 66% PU, 34% ALGODÓN

RESISTENZA ALL'ABRASIONE (CICLI) / ABRASION RESISTANCE (RUBS) / RÉSISTANCE À L'ABRASION (TOURS) / RESISTENCIA A LA ABRASIÓN (CICLOS)

150.000 MARTINDALE

SOLIDITÀ DEL COLORE ALLA LUCE / LIGHT FASTNESS / SOLIDITÉ À LA LUMIÈRE RESISTENCIA DEL COLOR A LA LUZ

5

SOLIDITÀ DEL COLORE ALLO SFREGAMENTO / FASTNESS TO RUBBING / SOLIDITÉ AU FROTTEMENT RESISTENCIA DEL COLOR A LA FRICCIÓN

5

REAZIONE AL FUOCO / FLAMMABILITY / CLASSEMENT AU FEU / COMPORTAMIENTO AL FUEGO

BS 5852:2006 CRIB5 UNI 9175 1IM

MANUTENZIONE E LAVAGGIO / CLEANING AND WASHING / NETTOYAGE ET LAVAGE / MANTENIMIENTO Y LAVADO



SU RICHIESTA - ON REQUEST
SUR DEMANDE - BAJO DEMANDA

PLASTICS

design Piero Lissoni



KARTELL NON GARANTISCE LA STESSA TONALITÀ DI COLORE TRA I DIVERSI LOTTI DI PRODUZIONE / KARTELL DOES NOT GUARANTEE THAT THE COLOURS BETWEEN THE DIFFERENT LOTS OF PRODUCTION WILL BE THE SAME
KARTELL NE GARANTIT PAS LA MÊME TONALITE DE COULEUR ENTRE LES DIFFÉRENTS LOTS DE PRODUCTION
KARTELL NO GARANTIZA LA MISMA TONALIDAD DE COLOR DE LOS DISTINTOS LOTES DE PRODUCCIÓN.